

Nantong OhE Chemicals Co.,Ltd.
Silica Gel Desiccant Specification


issue date:2010-3-25

Type	Specification(mm)		Standard Weight(g)	Minimum Packing Quantity (pcs)	Gross Weight(kg)	Outside Carton Size(mm)
	Length	Width				
SF5	65	50	5	1,800	11.6	475×310×220
SFJ5	65	50	5	1,800	11.6	475×310×220
SFJ10	70	70	10	1,000	12.6	475×310×220
SFJ15	80	70	15	850	15.0	475×310×220
SFJ20	95	70	20	550	13.1	475×310×220
SFJ30	110	70	30	360	12.8	475×310×220
SFJ40	105	90	40	300	14.0	475×310×220
SFJ50	110	90	50	270	15.5	475×310×220
SFJ75	110	130	75	180	15.4	475×310×220
SFJ100	125	130	100	140	15.9	475×310×220
SFJ125	140	130	125	120	16.9	475×310×220
SF200	180	112	200	75	16.8	475×310×220
SFJ200	180	112	200	75	16.8	475×310×220
SF250	200	112	250	60	16.8	475×310×220
SF300	170	152	300	50	16.8	475×310×220
SF500	220	152	500	35	19.2	475×310×220
SFJ500	220	152	500	35	19.2	475×310×220
SF1K	320	152	1000	18	19.7	475×310×220
SFJ30E	110	70	30	360	12.8	475×310×220
SFJ33E	110	70	33	360	13.5	475×310×220
SFJ50E	110	90	50	270	15.5	475×310×220
SFJ100E	125	130	100	140	15.9	475×310×220
SF500E	220	152	500	35	19.2	475×310×220
SFJ500E	220	152	500	35	19.2	475×310×220


- Remark: 1) Laminated Paper, SF** serie is English printing, SFJ** serie is Chinese-English-Japanese printing
 2) The type Less than 125gram is three side seal, the type more than 200gram is pillow pack
 3) Suffix E means including CoCl₂ Free blue indicating silica gel




SFJ Series



Three side seal



Pillow pack



Nantong OhE Chemicals Co.,Ltd.
シリカゲル乾燥剤 規格表 SFシリーズ


発行日:2010-3-25

規格	標準寸法(mm)		標準重量 (g)	入数(個)	総重量 (Kg)	ケース外寸(mm)
	長さ	幅				
SF5	65	50	5	1,800	11.6	475×310×220
SFJ5	65	50	5	1,800	11.6	475×310×220
SFJ10	70	70	10	1,000	12.6	475×310×220
SFJ15	80	70	15	850	15.0	475×310×220
SFJ20	95	70	20	550	13.1	475×310×220
SFJ30	110	70	30	360	12.8	475×310×220
SFJ40	105	90	40	300	14.0	475×310×220
SFJ50	110	90	50	270	15.5	475×310×220
SFJ75	110	130	75	180	15.4	475×310×220
SFJ100	125	130	100	140	15.9	475×310×220
SFJ125	140	130	125	120	16.9	475×310×220
SF200	180	112	200	75	16.8	475×310×220
SFJ200	180	112	200	75	16.8	475×310×220
SF250	200	112	250	60	16.8	475×310×220
SF300	170	152	300	50	16.8	475×310×220
SF500	220	152	500	35	19.2	475×310×220
SFJ500	220	152	500	35	19.2	475×310×220
SF1K	320	152	1000	18	19.7	475×310×220
SFJ30E	110	70	30	360	12.8	475×310×220
SFJ33E	110	70	33	360	13.5	475×310×220
SFJ50E	110	90	50	270	15.5	475×310×220
SFJ100E	125	130	100	140	15.9	475×310×220
SF500E	220	152	500	35	19.2	475×310×220
SFJ500E	220	152	500	35	19.2	475×310×220


- 備考: 1)SFシリーズは和紙/ワリフS(F)/PEの三層構成で、強度が強くPE面
のみに特殊な通気孔あります。SF**は英文バージョンとなり、
SFJ**は中、英、日三国文字バージョンとなります
2)125g以下は三方シール袋、200g以上は合掌袋となります。
3)Eタイプは湿度インジケータに塩化コバルトを使用していない環境
です。



SFJシリーズ



三方シール袋



合掌袋

南通大江化学有限公司
硅胶干燥剂规格表

发行日期:2010-3-25

品名	尺寸规格(mm)		内容物标准重量(g)	入数(包)	毛重(kg)	外包装尺寸(mm)
	纵边	横边				
SF5	65	50	5	1,800	11.6	475×310×220
SFJ5	65	50	5	1,800	11.6	475×310×220
SFJ10	70	70	10	1,000	12.6	475×310×220
SFJ15	80	70	15	850	15.0	475×310×220
SFJ20	95	70	20	550	13.1	475×310×220
SFJ30	110	70	30	360	12.8	475×310×220
SFJ40	105	90	40	300	14.0	475×310×220
SFJ50	110	90	50	270	15.5	475×310×220
SFJ75	110	130	75	180	15.4	475×310×220
SFJ100	125	130	100	140	15.9	475×310×220
SFJ125	140	130	125	120	16.9	475×310×220
SF200	180	112	200	75	16.8	475×310×220
SFJ200	180	112	200	75	16.8	475×310×220
SF250	200	112	250	60	16.8	475×310×220
SF300	170	152	300	50	16.8	475×310×220
SF500	220	152	500	35	19.2	475×310×220
SFJ500	220	152	500	35	19.2	475×310×220
SF1K	320	152	1000	18	19.7	475×310×220
SFJ30E	110	70	30	360	12.8	475×310×220
SFJ33E	110	70	33	360	13.5	475×310×220
SFJ50E	110	90	50	270	15.5	475×310×220
SFJ100E	125	130	100	140	15.9	475×310×220
SF500E	220	152	500	35	19.2	475×310×220
SFJ500E	220	152	500	35	19.2	475×310×220

备注:

- 1) 复合纸包材, SF**为英文版面, SFJ**为中英日三国文字版面
- 2) 125克及以下为三边式封包装、200克以上为背封式包装
- 3) 后缀E指添加不含钴变色蓝胶



SFJ 系列

